

AGRICULTURAL STATISTICS 2009



United States Department of Agriculture

UNITED STATES
DEPARTMENT OF AGRICULTURE

NATIONAL AGRICULTURAL STATISTICS SERVICE

**AGRICULTURAL
STATISTICS
2009**



UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON: 2009

For sale by the Superintendent of Documents, U.S. Government Printing Office
Internet: bookstore.gpo.gov Phone: toll free (866) 512-1800; DC area (202)512-1800
Fax: (202) 512-2104 Mail: Stop IDCC, Washington, DC 20402-0001
ISBN 978-0-16-079497-1

Agricultural Statistics 2009

Agricultural Statistics, 2009 was prepared under the direction of Rich Holcomb, Agricultural Statistics Board, National Agricultural Statistics Service.

The USDA and NASS invite you to explore their information on the Internet. The USDA Home Page address is <http://www.usda.gov/> and the NASS Home Page address is: <http://www.nass.usda.gov/>.

For information on NASS products you may call the **Agricultural Statistics Hotline, 1-800-727-9540** or send e-mail to nass@nass.usda.gov.

The cooperation of the many contributors to this publication is gratefully acknowledged. Source notes below each table credit the various Government agencies which collaborated in furnishing information.

CONTENTS

	Page		Page
Introduction	iii	VII—Cattle, hogs, and sheep:	
Weights, measures, and conversion factors	iv	Cattle and calves	VII-1
I—Grain and feed:		Hogs	VII-17
Total grain supply	I-1	Sheep and lambs	VII-26
Food grains:		Wool	VII-34
Wheat	I-1	Goats and mohair	VII-39
Rye	I-11	Meats	VII-44
Rice	I-14	Hides	VII-54
Feed grains:		Livestock numbers	VII-58
Corn	I-21	VIII—Dairy and poultry statistics:	
Oats	I-28	Cows, milk	VIII-1
Barley	I-32	Dairy products	VIII-19
Sorghum	I-36	Chickens	VIII-27
Grain consumption	I-43	Turkeys	VIII-35
Animal units fed	I-44	Eggs	VIII-37
Feedstuffs	I-45	IX—Farm resources, income and expenses:	
II—Cotton, tobacco, sugar crops, and honey:		Economic trends	IX-1
Cotton	II-1	Farm property	IX-2
Sugarbeets	II-12	Farm labor	IX-13
Sugar	II-13	Farm production and distribution	IX-16
Honey	II-17	Prices and income	IX-26
Tobacco	II-19	Costs and expenses	IX-39
III—Oilseeds, fats, and oils:		X—Taxes, insurance, credit, and cooperatives:	
Cottonseed	III-1	Taxes and insurance	X-1
Flaxseed	III-5	Credit and loan programs	X-9
Peanuts	III-9	Farmers' cooperatives	X-11
Soybeans	III-14	Rural utilities	X-14
Sunflower	III-24	XI—Stabilization and price-support programs:	
Peppermint and spearmint	III-26	Price support	XI-1
Olive oil	III-27	Payments to producers	XI-8
Margarine	III-27	Marketing agreements and orders	XI-14
Shortening	III-28	XII—Agricultural conservation and forestry statistics:	
Fats and oils	III-29	Conservation Reserve Programs	XII-3
IV—Vegetables and melons:		Soil conservation programs	XII-16
Vegetables and melons	IV-34	Forestry	XII-17
Vegetable and shipments	IV-34	XIII—Consumption and family living:	
Vegetable utilization	IV-35	Population	XIII-1
Commercial pack	IV-36	Food consumption and nutrition	XIII-1
V—Fruits, tree nuts, and horticultural specialties:		Prices at retail levels	XIII-10
Fruits	V-1	XIV—Fertilizers and pesticides:	
Tree nuts	V-37	Field crops	XIV-1
Cocoa beans, coffee, and tea	V-43	Fruits	XIV-20
Mushrooms	V-46	Vegetables	XIV-21
Flowers	V-47	XV—Miscellaneous agricultural statistics:	
VI—Hay, seeds, and minor field crops:		Agricultural imports and exports	XV-2
Hay	VI-1	Fishery statistics	XV-14
Seeds	VI-9	Refrigeration statistics	XV-31
Beans, dry edible	VI-10	Alaska statistics	XV-33
Peas, dry	VI-13	Crop rankings	XV-34
Hops	VI-15	Crop progress	XV-35
		Appendix I:	
		Telephone contact list	Appendix-1
		Index	Index-1

Introduction

Agricultural Statistics is published each year to meet the diverse need for a reliable reference book on agricultural production, supplies, consumption, facilities, costs, and returns. Its tables of annual data cover a wide variety of facts in forms suited to most common use.

Inquiries concerning more current or more detailed data, past and prospective revisions, or the statistical methodology used should be addressed directly to the agency credited with preparing the table. Most of the data were prepared or compiled in the U.S. Department of Agriculture.

The historical series in this volume have been generally limited to data beginning with 1999 or later.

Foreign agricultural trade statistics include Government as well as non-Government shipments of merchandise from the United States and Territories to foreign countries. They do not include U.S. shipments to the U.S. Armed Forces abroad for their own use or shipments between the States and U.S. Territories. The world summaries of production and trade of major farm products are prepared by the U.S. Department of Agriculture from reports of the U.S. Department of Commerce, official statistics of foreign governments, other foreign source materials, reports of U.S. Agricultural Attachés and Foreign Service Officers, and the result of office research.

Statistics presented in many of the tables represent actual counts of the items covered. Most of the statistics relating to foreign trade and to Government programs, such as numbers and amounts of loans made to farmers, and amounts of loans made by the Commodity Credit Corporation, etc., are data of this type. A large number of other tables, however, contain data that are estimates made by the Department of Agriculture.

The estimates for crops, livestock, and poultry made by the U.S. Department of Agriculture are prepared mainly to give timely current State and national totals and averages. They are based on data obtained by sample surveys of farmers and of people who do business with farmers. The survey data are supplemented by information from the Censuses of Agriculture taken every five years and check data from various sources. Being estimates, they are subject to revision as more data become available from commercial or Government sources. Unless otherwise indicated, the totals for the United States shown in the various tables on area, production, numbers, price, value, supplies, and disposition are based on official Department estimates. They exclude States for which no official estimates are compiled.

DEFINITIONS

“Value of production” as applied to crops in the various tables, is derived by multiplying production by the estimated season average price received by farmers for that portion of the commodity actually sold. In the case of fruits and vegetables, quantities not harvested because of low prices or other economic factors are not included in value of production. The word “Value” is used in the inventory tables on livestock and poultry to mean value of the number of head on the inventory date. It is derived by multiplying the number of head by an estimated value per head as of the date.

The word “Year” (alone) in a column heading means calendar year unless otherwise indicated. “Ton” when used in this book without qualifications means a short ton of 2,000 pounds.

WEIGHTS, MEASURES, AND CONVERSION FACTORS

The following table on weights, measures, and conversion factors covers the most important agricultural products, or the products for which such information is most frequently asked of the U.S. Department of Agriculture. It does not cover all farm products nor all containers for any one product.

The information has been assembled from State schedules of legal weights, various sources within the U.S. Department of Agriculture, and other Government agencies. For most products, particularly fruits and vegetables, there is a considerable variation in weight per unit of volume due to differences in variety or size of commodity, condition and tightness of pack, degree to which the container is heaped, etc. Effort has been made to select the most representative and fairest average for each product. For those commodities which develop considerable shrinkage, the point of origin weight or weight at harvest has been used.

The approximate or average weights as given in this table do not necessarily have official standing as a basis for packing or as grounds for settling disputes. Not all of them are recognized as legal weight. The table was prepared chiefly for use of workers in the U.S. Department of Agriculture who have need of conversion factors in statistical computations.

WEIGHTS, MEASURES, AND CONVERSION FACTORS
(See explanatory text just preceding this table)

WEIGHTS AND MEASURES

Commodity	Unit ¹	Approximate net weight		Commodity	Unit ¹	Approximate net weight	
		U.S.	Metric			U.S.	Metric
		<i>Pounds</i>	<i>Kilograms</i>			<i>Pounds</i>	<i>Kilograms</i>
Alfalfa seed	Bushel	60	27.2	Celery	Crate ⁸	60	27.2
Applesdo	48	21.8	Cherries	Lug (Campbell) ⁹	16	7.3
Do	Loose pack	38-42	17.2-19.1	Do	Lug	20	9.1
Do	Tray pack	40-45	18.1-20.4	Clover seed	Bushel	60	27.2
Do	Cell pack	37-41	16.8-18.6	Coffee	Bag	132.3	60
Apricots	Lug (brentwood) ²	24	10.9	Corn:			
Western	4-basket crate ³	26	11.8	Ear, husked ..	Bushel	¹⁰ 70	31.8
Artichokes:				Shelleddo	56	25.4
Globe	Ctn, by count and loose pack	20-25	9.1-11.3	Mealdo	50	22.7
Jerusalem	Bushel	50	22.7	Oil	Gallon	⁷ 7.7	3.5
Asparagus	Crate (NJ)	30	13.6	Syrupdo	11.72	5.3
Avocados	Lug ⁴	12-15	5.4-6.8	Sweet	Wirebound crate	50	22.7
Bananas	Fiber folding box ⁵	40	18.1	Do	Ctn, packed 5 oz. ears	50	22.7
Barley	Bushel	48	21.8	Do	WDB crate, 4½-5 oz. (from FL & NJ)	42	19.1
Beans:				Cotton	Bale, gross	¹¹ 500	227
Lima, drydo	56	25.4	Do	Bale, net	¹¹ 480	218
Other, drydo	60	27.2	Cottonseed	Bushel	¹² 32	14.5
Lima unshelled	Sack	100	45.4	Cottonseed oil ..	Gallon	⁷ 7.7	3.5
Snapdo	28-32	12.7-14.5	Cowpeas	Bushel	60	27.2
Beets:				Cranberries	Barrel	100	45.4
Topped	Sack	25	11.3	Do	¼-bbl. box ¹³ ..	25	11.3
Bunched	½ crate 2 dz-bchs	36-40	16.3-18.1	Cream, 40-per-cent butterfat	Gallon	8.38	3.80
Berries frozen pack:				Cucumbers	Bushel	48	21.8
Without sugar ..	50-gal. barrel ...	380	172	Dewberries	24-qt. crate	36	16.3
3 + 1 packdo	425	193	Eggplant	Bushel	33	15.0
2 + 1 packdo	450	204	Eggs, average size	Case, 30 dozen ..	47.0	21.3
Blackberries	12, ½-pint basket	6	2.7	Escarole	Bushel	25	11.3
Bluegrass seed ..	Bushel	14-30	6.4-13.6	Figs, fresh	Box single layer ¹⁴	6	2.7
Broccoli	Wirebound crate	20-25	9.1-11.3	Flaxseed	Bushel	56	25.4
Broomcorn (6 bales per ton)	Bale	333	151	Flour, various ..	Bag	100	45.4
Broomcorn seed ..	Bushel	44-50	20.0-22.7	Do	Ctn or Crate, Bulk	30	13.6
Brussels sprouts ..	Ctn, loose pack ..	25	11.3	Garlic	Ctn of 12 tubes or 12 film bag pkgs 12 cloves each ..	10	4.5
Buckwheat	Bushel	48	21.8	Grapefruit:			
Butter	Block	55.68	25.30.9	Florida and Texas	½-box mesh bag	40	18.1
Cabbage	Open mesh bag ..	50	22.7	Florida	1½ bu. box	85	38.6
Do	Flat crate (1¾ bu)	50-60	22.7-27.2	Texas	1½ bu. box	80	36.3
Do	Ctn, place pack ..	53	24.0	California and Arizona	Box ¹⁵	¹⁶ 67	30.4
Cantaloups	Crate ⁶	40	18.1	Grapes:			
Carrots	Film plastic bags, mesh sacks & cartons holding 48 1 lb. film bags	55	24.9	Eastern	12-qt. basket ..	20	9.1
Without tops ..	Burlap sack	74-80	33.6-36.3	Western	Lug	28	12.7
Castor beans	Bushel	41	18.6	Do	4-basket crate ¹⁷	20	9.1
Castor oil	Gallon	⁷ 8	3.6	Hempseed	Bushel	44	20.0
Cauliflower	W.G.A. crate ..	50-60	22.7-27.2	Hickory nutsdo	50	22.7
Do	Fiberboard box wrapper leaves removed film-wrapped, 2 layers	23-35	10.4-15.9	Honey	Gallon	11.84	5.4
				Honeydew melons	¾ Ctn	28-32	12.7-14.5
				Hops	Bale, gross	200	90.7

See footnotes on page ix.

WEIGHTS AND MEASURES—Continued

Commodity	Unit ¹	Approximate net weight		Commodity	Unit ¹	Approximate net weight	
		U.S.	Metric			U.S.	Metric
		<i>Pounds</i>	<i>Kilograms</i>			<i>Pounds</i>	<i>Kilograms</i>
Horseradish roots	Bushel	35	15.9	Do	Std box, 4/5 bu	45–48	20.4–21.8
Do	Sack	50	22.7	Do	Ctn, Tight-fill pack	36–37	16.3–16.7
Hungarian millet seed	Bushel	48–50	21.8–22.7	Peas:			
Kale	Ctn or crate	25	11.3	Green, unshelled ..	Bushel	28–30	12.7–13.6
Kapok seeddo	35–40	15.9–18.1	Drydo	60	27.2
Lard	Tierce	375	170	Peppers, greendo	25–30	11.3–13.6
Lemons:				Do	1½ bu carton ..	28	12.7
California and	Box ¹⁸	76	34.5	Perilla seed	Bushel	37–40	16.8–18.1
Arizona	Carton	38	17.2	Pineapples	Carton	40	18.1
Do	Bushel	60	27.2	Plums and			
Lentils	Iceberg, carton			prunes:	Ctn & lugs	28	12.7
Lettuce, iceberg	packed 24	43–52	19.5–23.6	Do	½-bu. basket ..	30	13.6
Lettuce, hot-				Popcorn:			
house	24-qt. basket ..	10	4.5	On ear	Bushel	¹⁰ 70	31.8
Limes (Florida)	Box	88	39.9	Shelleddo	56	25.4
Linseed oil	Gallon	⁷ 7.7	3.5	Poppy seeddo	46	20.9
Malt	Bushel	34	15.4	Potatoes	Bushel	60	27.2
Maple syrup	Gallon	11.02	5.0	Do	Barrel	165	74.8
Meadow fescue				Do	Box	50	22.7
seed	Bushel	24	10.9	Dodo	100	45.4
Milk	Gallon	8.6	3.9	Quinces	Bushel	48	21.8
Millet	Bushel	48–60	21.8–27.2	Rapeseeddo	50–60	22.7–27.2
Molasses:				Raspberries	½-pint baskets	6	2.7
edible	Gallon	11.74	5.3	Redtop seed	Bushel	50–60	22.7–27.2
inedibledo	11.74	5.3	Refiners' syrup	Gallon	11.45	5.2
Mustard seed	Bushel	58–60	26.3–27.2	Rice:			
Oatsdo	32	14.5	Rough	Bushel	45	20.4
Olives	Lug	25–30	11.3–13.6	Do	Bag	100	45.4
Olive oil	Gallon	⁷ 7.6	3.4	Do	Barrel	162	73.5
Onions, dry	Sack	50	22.7	Milled	Pocket or bag ..	100	45.4
Onions, green				Rosin	Drum, net	520	236
bunched	Ctn, 24-dz bchs	10–16	4.5–7.3	Rutabagas	Bushel	56	25.4
Oranges:				Ryedo	56	25.4
Florida	Box	90	40.8	Sesame seeddo	46	20.9
Texas	Box	85	38.5	Shallots	Crate (4–7 doz.		
California and				bunches)		20–35	9.1–15.9
Arizona	Box ¹⁵	75	34.0	Sorgo:			
Do	Carton	38	17.2	Seed	Bushel	50	22.7
Orchardgrass				Syrup	Gallon	11.55	5.2
seed	Bushel	14	6.4	Sorghum			
Palm oil	Gallon	⁷ 7.7	3.5	grain ¹⁹	Bushel	56	25.4
Parsnips	Bushel	50	22.7	Soybeansdo	60	27.2
Peachesdo	48	21.8	Soybean oil	Gallon	⁷ 7.7	3.5
Do	2 layer ctn or			Spelt	Bushel	40	18.1
Do	lug	22	10.0	Spinachdo	18–20	8.2–9.1
Peanut oil	¾-Bu, Ctn/crate	38	17.2	Strawberries ..	24-qt. crate	36	16.3
Peanuts	Gallon	⁷ 7.7	3.5	Do	12-pt. crate	9–11	4.1–5.0
unshelled:				Sudangrass			
Virginia type ..	Bushel	17	7.7	seed	Bushel	40	18.1
Runners,				Sugarcane:			
South-east-do	21	9.5	Syrup			
ern				(sulfured or			
Spanish:				un-sulfured)	Gallon	11.45	5.2
South-do	25	11.3	Sunflower seed	Bushel	24–32	10.9–14.5
easterndo	25	11.3	Sweetpotatoesdo	²⁰ 55	24.9
South-do	25	11.3	Do	Crate	50	22.7
westerndo	25	11.3	Tangerines:			
Pears:				Florida	Box	95	43.1
California	Bushel	48	21.8	Arizona	Box	75	34.0
Otherdo	50	22.7	California	Box	75	34.0

See footnotes on page ix.

WEIGHTS AND MEASURES—Continued

Commodity	Unit ¹	Approximate net weight		Commodity	Unit ¹	Approximate net weight	
		U.S.	Metric			U.S.	Metric
		<i>Pounds</i>	<i>Kilograms</i>			<i>Pounds</i>	<i>Kilograms</i>
Timothy seed	Bushel	45	20.4	Turnips:			
Tobacco:				Without tops ..	Mesh sack	50	22.7
Maryland	Hogshead	775	352	Bunched	Crate ⁶	70–80	31.8–36.3
Flue-cureddo	950	431	Turpentine	Gallon	7.23	3.3
Burleydo	975	442	Velvetbeans			
Dark air-cureddo	1,150	522	(hulled)	Bushel	60	27.2
Virginia fire-do	1,350	612	Vetch seeddo	60	27.2
cured				Walnuts	Sacks	50	22.7
Kentucky and				Water 60° F	Gallon	8.33	3.8
Tennessee				Watermelons	Melons of aver-		
fire-cureddo	1,500	680		age or me-		
Cigar-leaf	Case	250–365	113–166		dium size	25	11.3
Do	Bale	150–175	68.0–79.4	Wheat	Bushel	60	27.2
Tomatoes	Crate	60	27.2	Various com-			
Do	Lug box	32	14.5	modities	Short ton	2,000	907
Do	2-layer flat	21	9.5	Do	Long ton	2,240	1,016
Tomatoes, hot-				Do	Metric ton	2,204.6	1,000
house	12-qt. basket	20	9.1				
Tung oil	Gallon	⁷ 7.8	3.5				

See footnotes on page ix.

To Convert From Avoirdupois Pounds

To	Multiply by
Kilograms	0.45359237
Metric tons	0.00045359237

Conversion Factors

1 Metric ton=2,204.622 pounds
 1 Kilogram=2.2046 pounds
 1 Acre=0.4047 hectares
 1 Hectare=2.47 acres
 1 Square mile=640 acres=259 hectares
 1 Gallon=3.7853 liters

CONVERSION FACTORS

Commodity	Unit	Approximate equivalent
Apples	1 pound dried	7 pounds fresh; beginning 1943, 8 pounds fresh
Do	1 pound chops	5 pounds fresh
Do	1 case canned ²¹	1.4 bushels fresh
Applesaucedo ²¹	1.2 bushels fresh
Apricots	1 pound dried	6 pounds fresh
Barley flour	100 pounds	4.59 bushels barley
Beans, lima	1 pound shelled	2 pounds unshelled
Beans, snap or wax	1 case canned ²²	0.008 ton fresh
Buckwheat flour	100 pounds	3.47 bushels buckwheat
Calves	1 pound live weight	0.611 pound dressed weight (1999 average)
Cattledo	0.607 pound dressed weight (1999 average)
Cane syrup	1 gallon	5 pounds sugar
Cherries, tart	1 case canned ²¹	0.023 ton fresh
Chickens	1 pound live weight	0.72 pound ready-to-cook weight
Corn, shelled	1 bushel (56 lbs.)	2 bushels (70 pounds) of husked ear corn
Corn, sweet	1 case canned ²²	0.030 ton fresh
Cornmeal:		
Degermed	100 pounds	3.16 bushels corn, beginning 1946
Nondegermeddo	2 bushels corn, beginning 1946
Cotton	1 pound ginned	3.26 pounds seed cotton, including trash ²³
Cottonseed meal	1 pound	2.10 pounds cottonseed
Cottonseed oildo	5.88 pounds cottonseed
Dairy products:		
Butterdo	21.1 pounds milk
Cheesedo	10 pounds milk
Condensed milk, wholedo	2.3 pounds milk
Dry creamdo	19 pounds milk
Dry milk, wholedo	7.6 pounds milk
Evaporated milk, wholedo	2.14 pounds milk
Maltingdo	2.6 pounds milk
Nonfat dry milkdo	11 pounds liquid skim milk
Ice cream ²⁴	1 gallon	15 pounds milk
Ice cream ²⁴ (eliminating fat from butter and concentrated milk)do	12 pounds milk
Eggs	1 case	47 pounds
Eggs, shelldo	41.2 pounds frozen or liquid whole eggs
Dodo	10.3 pounds dried whole eggs
Figs	1 pound dried	3 pounds fresh in California; 4 pounds fresh elsewhere
Flaxseed	1 bushel	About 2½ gallons oil
Grapefruit, Florida	1 case canned juice ²²	0.64 box fresh fruit
Hogs	1 pound live weight	0.737 pound dressed weight, excluding lard (1999 average)
Linseed meal	1 pound	1.51 pounds flaxseed
Linseed oildo	2.77 pounds flaxseed
Malt	1 bushel (34 lbs.)	1 bushel barley (48 lbs.)
Maple syrup	1 gallon	8 pounds maple sugar
Nuts:		
Almonds, imported	1 pound shelled	3½ pounds unshelled
Almonds, Californiado	2.22 pounds unshelled through 1949; 2 pounds thereafter
Brazildo	2 pounds unshelled
Cashewsdo	4.55 pounds unshelled
Chestnutsdo	1.19 pounds unshelled
Filbertsdo	2.22 pounds unshelled through 1949; 2.5 pounds thereafter
Pecans:		
Seedlingdo	2.78 pounds unshelled
Improveddo	2.50 pounds unshelled
Pignoliasdo	1.3 pounds unshelled
Pistachiosdo	2 pounds unshelled
Walnuts:		
Blackdo	5.88 pounds unshelled
Persian (English)do	2.67 pounds unshelled
Oatmeal	100 pounds	7.6 bushels oats, beginning 1943
Oranges, Florida	1 case canned juice ²²	0.53 box fresh
Peaches, California, freestone	1 pound dried	5½ pounds fresh through 1918; 6 pounds fresh for 1919–28; and 6½ pounds fresh from 1929 to date
Peaches, California, clingstonedo	7½ pounds fresh
Peaches, clingstone	1 case canned ²¹	1 bushel fresh
Dodo	0.0230 ton fresh
Peanuts	1 pound shelled	1½ pounds unshelled
Pears	1 pound dried	6½ pounds fresh
Pears, Bartlett	1 case canned ²²	1.1 bushels fresh
Dodo	0.026 ton fresh

See footnotes on page ix.

CONVERSION FACTORS—Continued

Commodity	Unit	Approximate equivalent
Peas, green	1 pound shelled	2½ pounds unshelled
Do	1 case canned ²²	0.009 ton fresh (shelled)
Prunes	1 pound dried	2.7 pounds fresh in California; 3 to 4 pounds fresh elsewhere
Raisins	1 pound	4.3 pounds fresh grapes
Rice, milled (excluding brewers)	100 pounds	152 pounds rough or unhulled rice
Rye flourdo	2.23 bushels rye, beginning 1947
Sheep and lambs	1 pound live weight	0.504 pound dressed weight (1999 average)
Soybean meal	1 pound	1.27 pounds soybeans
Soybean oildo	5.49 pounds soybeans
Sugar	1 ton raw	0.9346 ton refined
Tobacco	1 pound farm-sales weight ..	Various weights of stemmed and unstemmed, according to aging and the type of tobacco. (See circular 435, U.S. Dept. of Agr.)
Tomatoes	1 case canned ²²	0.018 ton fresh
Turkeys	1 pound live weight	0.80 pound ready-to-cook weight
Wheat flour	100 pounds	2.30 bushels wheat ²⁵
Wool, domestic apparel shorn	1 pound greasy	0.48 pounds scoured
Wool, domestic apparel pulleddo	0.73 pound scoured

¹ Standard bushel used in the United States contains 2,150.42 cubic inches; the gallon, 231 cubic inches; the cranberry barrel, 5,826 cubic inches; and the standard fruit and vegetable barrel, 7,056 cubic inches. Such large-sized products as apples and potatoes sometimes are sold on the basis of a heaped bushel, which would exceed somewhat the 2,150.42 cubic inches of a bushel basket level full. This also applies to such products as sweetpotatoes, peaches, green beans, green peas, spinach, etc.

² Approximate inside dimensions, 4½ by 12½ by 16½ inches.

³ Approximate inside dimensions, 4½ by 16 by 16½ inches.

⁴ Approximate dimensions, 4½ by 13½ by 16½ inches.

⁵ Approximate inside dimensions, 13 by 12 by 32 inches.

⁶ Approximate inside dimensions, 13 by 18 by 21½ inches.

⁷ This is the weight commonly used in trade practices, the actual weight varying according to temperature conditions.

⁸ Approximate inside dimensions, 9¾ by 16 by 20 inches.

⁹ Approximate inside dimensions, 4½ by 11½ by 14 inches.

¹⁰ The standard weight of 70 pounds is usually recognized as being about 2 measured bushels of corn, husked, on the ear, because it required 70 pounds to yield 1 bushel, or 56 pounds, of shelled corn.

¹¹ For statistical purposes the bale of cotton is 500 pounds or 480 pounds net weight. Prior to Aug. 1, 1946, the net weight was estimated at 478 pounds. Actual bale weights vary considerably, and the customary average weights of bales of foreign cotton differ from that of the American square bale.

¹² This is the average weight of cottonseed, although the legal weight in some States varies from this figure of 32 pounds.

¹³ Approximate inside dimensions, 9¼ by 10½ by 15 inches.

¹⁴ Approximate inside dimensions, 1¾ by 11 by 16½ inches.

¹⁵ Approximate inside dimensions, 11½ by 11½ by 24 inches.

¹⁶ Beginning with the 1993-94 season, net weights for California Desert Valley and Arizona grapefruit were increased from 64 to 67 pounds, equal to the California other area net weight, making a 67 pound net weight apply to all of California.

¹⁷ Approximate inside dimensions, 4¾ by 16 by 16½ inches.

¹⁸ Approximate inside dimensions, 9¾ by 13 by 25 inches. 6 by 16 by 16½ inches.

¹⁹ Includes both sorghum grain (kafir, milo, hegari, etc.) and sweet sorghum varieties.

²⁰ This average of 55 pounds indicates the usual weight of sweetpotatoes when harvested. Much weight is lost in curing or drying and the net weight when sold in terminal markets may be below 55 pounds.

²¹ Case of 24 No. 2½ cans.

²² Case of 24 No. 303 cans.

²³ Varies widely by method of harvesting.

²⁴ The milk equivalent of ice cream per gallon is 15 pounds. Reports from plants indicate about 81 percent of the butterfat in ice cream is from milk and cream, the remainder being from butter and concentrated milk. Thus the milk equivalent of the milk and cream in a gallon of ice cream is about 12 pounds.

²⁵ This is equivalent to 4.51 bushels of wheat per barrel (196 pounds) of flour and has been used in conversions, beginning July 1, 1957. Because of changes in milling processes, the following factors per barrel of flour have been used for earlier periods: 1790-1879, 5 bushels; 1880-1908, 4.75 bushels; 1909-17, 4.7 bushels; 1918 and 1919, 4.5 bushels; 1920, 4.6 bushels; 1921-44, 4.7 bushels; July 1944-Feb. 1946, 4.57 bushels; March 1946-Oct. 1946, average was about 4.31 bushels; and Nov. 1946-June 1957, 4.57 bushels.

